

Titan

Protein Shake Vending Machine

User Manual

One-Touch Drinks PO Box 118300 Carrollton, TX 75011-8300 (800) 560-5062 onetouchdrinks.com info@onetouchdrinks.com



Table of Contents

- 1. Main Featuresp.1
- 2. Machine Sizep.2
- 3. Installation & Set Upp.3-16
- 4. Background Operation...p.17-49


1. Main Features



Model	Titan Instant Drinks	Measurements: imperial, metric	
Voltage	220v/50Hz or 110v/60 Hz		
Power supply	200W-2100W		
Dimension	27"(W) x 24"(D)x71" in, or	68(W)×60(D)×180(H)cm	
Weight: machine/shipping	353 lb, or	160 kgs	
Ingredient canisters	5 ingredient canisters (4L*5)		
Water supply	Connect to direct water line, or pump water from a bottle		
Payment system	Supports both cash and card pay		
Touch screen	32-inch touch screen with Androi	d system	
Cloud management system	Monitor machine status, collect payment information, calculate selling, manage advertising display etc.		
Cup choice	Two modes: auto dispense cup & use own cup		
Auto cup dispenser & size	14oz paper cups/ 90 mm diameter		
Cleaning function	Automatically cleans pipes and m	ixing chambers	
Hot water temp. range	77-36 F or 25-98 °C		
Cold water temp. range	41-50 F or 5-10 °C		
Technical support	Call for free phone assistance and	troubleshooting	

2. Machine Size





3. Installation Notice---Open package






3. Installation-Connect a Water Supply

Note: There are two hoses for hot and cold with a stopper at the end. These should be kept closed. Only use them when you want to empty the water tanks in the machine. You can pull off the silicon stoppers to drain water completely out of the machine in case you want to transport it or stop use of the machine for a period of time.

The machine water supply works two ways. Choose one option:

Option 1: Pump Water from a Water Bottle

Step 1. Connect water bottle with the pump:



I.Insert water pump into the water gallon bottle. Yellow pump goes into the bottom of the water bottle.

- .2.Remove carefully the small silicon pipe from the base cabinet
- 3. Connect the other side of the pump that goes inside the water gallon bottle to the water inlet on the hole of the base cabinet with top cabinet machine and clockwise rotate it until tight.
- 4. Plug the pump to the connector.5. You can fill the water bottle with water.

Option 2: direct city water line



3. Installation---Load Paper Cups

One size of cup fits with Single Road:



Note: If there is a cup stuck in the dispenser, remove cup road or push upwards, and put cups in order again. The machine is suitable for 14 oz cups.

Single road type: 14 oz



3. Installation---Add Coins in Coin Change System



Add enough correct coins in the coin change box. Coins need to cover the metal detector tool in the box for it to work.

Metal detector

Notice:

If there are enough coins, the light behind coin box will be green.

Otherwise, the light will be red and bill validator will stop to accept bills.

3. Installation---Add Powder in Canisters



- 1) To take the ingredient canister out before filling:
 - a)Rotate powder outlet nozzle **upwards first**, and set the canister down before opening the canister lid.
- 2) Pour powder into the canister, and close the canister lid.
- 3) To install the canister in the machine properly, make sure the motor shaft of the canister is correct with motor gear of the machine.
- 4) Rotate powder outlet nozzle downwards to the mixing bowl.

CAUTION

Titan is recommended for use with powders that have been thoroughly tested before placing it in operation.

Powder Outlet Nozzle

Motor.

Shaft

3. Installation---Connect Electricity and Turn on Machine Power






3. Installation---Connect WIFI or SIM Card

Either: 1) Connect WIFI or 2) use SIM card to connect the Internet.

1)Go to the screen desktop- click on setting – click on WiFi and connect to your network name and use your WIFI password.

2)There is a 4G mode for SIM card, insert SIM card in the mode card slot as picture show.


Notice: Insert or take out SIM card only under power off status.



3. Installation---Software Installation




Step 1: Click on the Drink app get a login interface



- Step 2: Log in the Drink APP with username and password given by One-Touch Drinks.
- Step 3: App setting on the machine-after login, you will see the menu interface. (next page)


Step 3: Enter APP setting by quickly clicking 2 times (first) on left circle area and 1 time on right circle area (second).

left circle 2x



right circle 1x

Each machine has its unique device name assigned. You can identify and configure your device with the name present in the system. In this case, it is D00688. Write your device name for easy reference for later use.



3. Installation---General Settings Explanation

Action Needed:

Logout the factory test account,and input your own usemame,the initial password "123456",you can change it in the back-end software operation.

Online upgrade application-

It will be used only new application version released.

Timing on or off- It can be changed at the back end.

Cleaning pipe automatically when power on- switch button on to have clean water flush hoses when the machine is turned on.

Cleaning grinder automatically when power on- coffee models only


Allow skip payment -Usually this switch should be closed,or the consumer can get the drink for free.

Display member related functions- It's related to we chat app and should be off if you don't use we chat pay.

Show the button of join member- It's related to we chat app and should be off if you don't use we chat pay.


Show the page of sugar volume (instant drinks)- switched off for protein (already sweetened) in Titan models. Can be used for other instant coffee or other types of drinks. When this is switched on,the interface will add one more page to select sugar volume to choose with the drink order. If you don't need sugar,you should switch it off.

Cash pay- You must have cash hardware support installed. If your machine has cash payment function, for example, coin acceptor, bill acceptor, you should open this switch, so machine can accept coins and bills. Credit card payments also need hardware support (Nayax, for example). If your machine has card reader, you should open this switch.



This page does not apply to protein shake machines.


These instructions are only for espresso models.



This page does not apply to protein shake machines.

These instructions are only for espresso models.

Espresso port test, no need do anything on this page.



This page is only for technician to test the machine during production, please don't change anything.


<	Setting	Water/bean volume	Serial port test	Cash
Currency code (three letters)		USD	
Banknote conve	rsion ratio between mi	n currency value and main curren	cies 10	
Coin conversion ratio between min currency value and main currencies		10		
Value of coin ch	ange		5	
Card reader conversion ratio between min currency value and main currencies		encies 100		

All data on this page is set by the manufacturer during production. If you want to reset the data, contact sales with your requirements.

Currency code(three letters) -You need to input the currency symbol of your country, for example, USD, EUR.

Conversion ratio between min currency value and main currencies- It is fixed in production. Please don't change it by yourself.

Value of coin change - It is fixed in production. Please don't change it by yourself.



One-click cleaning function- Machine has automatic pipe cleaning function, you can find the red button inside the front door, press the red button and take a big cup to receive water, machine will start to dispense hot water automatically to clean and flush drink pipes.

4. Software Operation---Login

Vending Operator login site: http://drimk.coffeeji.com/retail-operators/


Login to the <u>Smart Retail System</u> cloud with username and password given by sales.

Username: AB202005

Password: 123456

Password can always be changed

once you login.




4. Software Operation---Software Back End Operation-

Smart Retail System - Index

- 1. Equipment
- 2. Drink
- 3. Advertising
- 4. Promotion
- 5. Merchant
- 6. Stastics management related menu
- 7. Wechat pay, Alipay related menu


4. Software Operation---Index

In the Dashboard of Index, you can see daily and monthly sales statistics.



4. Software Operation---Edit Machine Information


Equipment management & how to edit:




4. Software Operation---Edit Machine Information

In this page, you can edit and adjust the red square marked parts:


- -Ingredient template
- -Maximum and minimum temp. of hot water
- -Device location
- -Service call (will be shown on machine)






4. Software Operation---Ingredient Management


Enter ingredient management page, all ingredient templates will be displayed.



4. Software Operation---View Ingredient Template

You can view the template you are using, or to create a new template if you want to fix canister ingredient types to custom drinks.






GTS305 standard template

Add new template

4. Software Operation---Add New Ingredient Template




- 1) Choose the correct model type
- 2) Edit template name
- 4) Choose ingredient material for each canister

Note:

If you want to fix ingredient material type for each canister, and the existing types cannot meet your needs, add new material before adding new ingredient template.


4. Software Operation--Equipment Log

Equipment Log is used to check machine login data.




4. Software Operation---Add New Ingredients Material

Drink---Material Management---Add



4. Software Operation---Add New Ingredients Material


Drink---Material Management---Add



- 1) Edit material name such as: Whey Chocolate Protein
- 2) Edit material description if needed
- 3) Submit


4. Software Operation---Configure Drinks

- -Equipment
- -Equipment Management
- -Figure out equipment code
- -Configure Drinks



Configure Drinks --- Click "Configure Drinks",and choose the drink which you want to show on machine screen,then save it.

4. Software Operation---Configure Drinks




- 1) Select drink in the list
- 2) Save

If the drink data in the existing list cannot meet your needs, edit drink or add new drink.


4. Software-- Equipment Management

Equipment Management

Reboot-- User can reboot the machine by press "reboot" key, machine will reboot automatically.




4. Software Operation---Add New Drinks



- -Choose drink template or not
- -Edit drink name
- -Edit English name
- -Set drink price
- -Upload **Drink Image** This image will show on the screen for ordering.(image resolution: 300*265)
- -Upload **Drink Detail Image**-Choose drink related picture from computer, it will be shown on the interface when drink is being made. (image resolution: 1120*870)

4. Software Operation---Add New Drinks



Drink Image-you can choose your favorite pictures from your computer then upload it to back end and save it. It will be shown on screen menu interface.

Drink Detail Image-choose drink related picture from computer, it will be shown on the interface when drink is making.

Hot drink? No

Drink configuration-choose ingredient name or canister to determine the powder you use, then input powder and water volume. Water and powder volume is defined by dispense time, for example, water "140" means water will dispense 14 seconds, powder "70"means powder will dispense 7 seconds. For reference, water dispenses 20ml per second, powder dispenses 4 grams or 5 grams per second.

Two powders-You can also click"+",when you want to mix two different powders from different canisters for one drink.


Sort-This field is assigning the drink created to a canister. You can input from O to 255, for example "1" means the sequence of this drink will be shown in the drink list by sequence.

Submit-click


The next step is to click on Equipment Management and select Configure Drinks. Select the drinks to connect this drink with equipment. Then you can see this drink on the touch screen display. It's very important, or you will not see it on the drink menu or the drink on the screen. Saving the drink recipe, it will be shown in drink list.

4. Software Operation---Edit Drinks

Drink Management---Select the drink you want to edit--->click edit




4. Software Operation---Edit Drinks



- -Edit drink name
- -Edit English name
- -Set drink price
- -Upload drink image(image resolution: 300*265)
- -Upload drink detail image (image resolution: 1120*870)

4. Software Operation---Edit Drinks



-Choose ingredient material

- -Set powder time
- -Set water dispensing time
- -Sort order
- -Submit

Digital range of 0~255, the smaller the number, the higher the rank.

Powder & water dispensing time:


10=1 second

Eg: 100=10 seconds

Powder time ≤ Water time


4. Software Operation--Check Trade Data

Trade---Order Management (Select different options to check data you need.)




4. Software Operation---Add Merchant

Merchant---Merchant Management---Add



4. Software Operation---Add Merchant

Merchant management---Add




Merchant Account is for the branch owner, it can only check machine status but cannot change any machine setting.


If you want the machine to also be viewable in your merchant account, login machine with merchant username and password.

Merchant account login address: http://drimk.coffeeji.com/retailmerchant/


Promotion



- ①Add Promotion name -->2019. 05.01 National Labor Day, set start time and end time, choose Equipment code.
- ②Back to list, click "Promotion Drink"
- (3) Choose drink that we want to promote, and modify the promotion price.



3. Software Installation--Display Assets




Drink selection part



Digital Display

Advertisements

4. Software Operation--Advertising system




Advertising System:

- 1) Upload files (pictures & videos)
- 2) Make a new program
- 3) Schedule the program display


4. Software Operation--Advertising---Upload files

Advertising---Add Resource, Browse Files, Upload




4. Software Operation--Advertising Display-Make New Program

Advertising---Program Management---Edit



4. Software Operation--Advertising---Make New Program

Advertising---Program Management---Add



- 1) Edit program name- "Morning ","Afternoon", "Evening."
- 2) Choose resolution-Resolution of GTS305T: 1080*1920
- 3) Edit program- add photos, and videos, set display time, etc. It also accepts to add text messages which will be displayed on the machine.

4. Software Operation--Advertising---Make New Program


1080 信息 0 0 Left Top Advertising part 640 1080 640 h Width Height No ○ Yes A Select full screen and ignore location and size Full Screen Settings 5000 3000 Display Time(ms) Switch Time(ms) Picture +Add Submit Cancel 640 h Operate part 取消 The screen resolution is 1080*1920. It is divided into 3 parts, the resolution for each part is 1080*640. Set left/top/width/height according to the resolution. Advertising part 640 h

4. Software Operation-Advertising- Program Management

Note: Machine screen resolution should follow the rules.

Advertising

Program Management



"Left" means video or picture distance from the left side

"**Top"** means video or picture distance from the top side

"Width" means video or picture width, it's 1080, because the screen resolution is 1080(width)*1920(height).


"Height" means video or picture height, it should be 640, because the screen height is 1920, it is devided into 3 parts, each part will be 1920/3=640

Remark: The screen is devided into 3 parts, the top part is Left 0, top 0, width 1080, height 640. The middle part is touch screen, it's fixed 1080*640.

The bottom part is Left 0,top 1280,width 1080,height 640.

4. Software Operation--Advertising--Schedule Program Display


Advertising---Schedule program---Edit



4. Software Operation---Advertising---Schedule Management

To add a program to the schedule, the program can be displayed on one or several machines together.

Time limit: No (Loop) Yes (Choose time period)






4. Software Operation--Statistics |--Wechat Pay

Statistics Management related menu

- 1.Trade
- 2.Self Operates
- 3.Statistics

Three selections on the menu are used for data statistics, including secondary account statistics. You can review everything and export them.




Wechat pay, Alipay related menu

- 1.Member
- 2.Mall
- 3. System setting



Note: The three menu is related to we hat pay and Alipay, it is used for chinese domestic market, it's not neccesay for your setting. Please closed all related functions.





One-Touch Drinks (800) 560-5062 onetouchdrinks.com info@onetouchdrinks.com